

COMPREHENSIVE METABOLIC PANEL - Details

Component Results

Component	Your Value	Standard Range
Sodium Serum/Plasma	Your Value 137 mmol/L	<i>Standard Range</i> 134 - 145 mmol/L
Potassium Serum/Plasma	Your Value 4.5 mmol/L	<i>Standard Range</i> 3.5 - 5.1 mmol/L
Chloride Serum/Plasma	Your Value 102 mmol/L	<i>Standard Range</i> 98 - 109 mmol/L
Carbon Dioxide	Your Value 29 mmol/L	<i>Standard Range</i> 22 - 30 mmol/L
Anion Gap	Your Value 6 mmol/L	<i>Standard Range</i> 4 - 15 mmol/L
Glucose Serum/Plasma	Your Value 91 mg/dL	<i>Standard Range</i> 70 - 99 mg/dL
Blood Urea Nitrogen	Your Value 25 mg/dL	<i>Standard Range</i> 9 - 20 mg/dL
Creatinine Serum/Plasma	Your Value 1.10 mg/dL	<i>Standard Range</i> 0.66 - 1.25 mg/dL
eGFR if Non-African American	Your Value >60 mL/min/1.73 "square meters"	<i>Standard Range</i> >=60 mL/min/1.73 "square meters"

The eGFR is estimated by the IDMS -traceable CKD-EPI equation for ages 18-97 years. Not validated in pregnancy, acute illness, or for people with unique diets or abnormal muscle mass.

eGFR if African American	Your Value >60 mL/min/1.73 "square meters"	<i>Standard Range</i> >=60 mL/min/1.73 "square meters"
---------------------------------	--	---

The eGFR is estimated by the IDMS -traceable CKD-EPI equation for ages 18-97 years. Not validated in pregnancy, acute illness, or for people with unique diets or abnormal muscle mass.

Component	Your Value	Standard Range
BUN/Creatinine Ratio	Your Value 22.7	
Calcium Serum/Plasma	Your Value 9.3 mg/dL	<i>Standard Range</i> 8.4 - 10.2 mg/dL
Protein Total Serum/Plasma	Your Value 7.9 g/dL	<i>Standard Range</i> 6.3 - 8.2 g/dL
Albumin	Your Value 4.6 g/dL	<i>Standard Range</i> 3.5 - 5.0 g/dL
Bilirubin Total	Your Value 1.0 mg/dL	<i>Standard Range</i> 0.2 - 1.3 mg/dL
Alkaline Phosphatase Total	Your Value 50 U/L	<i>Standard Range</i> 38 - 126 U/L
Aspartate Aminotransferase	Your Value 29 U/L	<i>Standard Range</i> 16 - 63 U/L
Total Globulin	Your Value 3.3 g/dL	<i>Standard Range</i> 2.3 - 3.9 g/dL
A/G Ratio	Your Value 1.4 Ratio	<i>Standard Range</i> Ratio
Alanine Aminotransferase	Your Value 30 U/L	<i>Standard Range</i> <50 U/L

New method and reference range as of 3/14/2019.

General Information

Collected
03/18/2019 8:06 AM

Resulted
03/18/2019 9:46 AM

Ordered By
LBCLN ONLY-ZZ LAB

This test result has been released by an automatic process.