

Name: Ryan S Phillips | DOB: 3/24/1976 |

COMPREHENSIVE METAB...

Component Results

Component	Your Value	Standard Range
Sodium Serum/Plasma	Your Value 136 mmol/L	<i>Standard Range</i> 134 - 145 mmol/L
Potassium Serum/Plasma	Your Value 4.2 mmol/L	<i>Standard Range</i> 3.5 - 5.1 mmol/L
Chloride Serum/Plasma	Your Value 99 mmol/L	<i>Standard Range</i> 98 - 109 mmol/L
Carbon Dioxide	Your Value 29 mmol/L	<i>Standard Range</i> 22 - 30 mmol/L
Anion Gap	Your Value 8 mmol/L	<i>Standard Range</i> 4 - 15 mmol/L

Component	Your Value	Standard Range
Glucose Serum/Plasma	Your Value 91 mg/dL	<i>Standard Range</i> 70 - 99 mg/dL
Blood Urea Nitrogen	Your Value 12 mg/dL	<i>Standard Range</i> 9 - 20 mg/dL
Creatinine Serum/Plasma	Your Value 1.10 mg/dL	<i>Standard Range</i> 0.66 - 1.25 mg/dL
eGFR if Non- African American	Your Value >60 mL/min/1.73 "square meters"	<i>Standard Range</i> >=60 mL/min/1.73 "square meters"
<p>The eGFR is estimated by the IDMS -traceable CKD-EPI equation for ages 18-97 years. Not validated in pregnancy, acute illness, or for people with unique diets or abnormal muscle mass.</p>		
eGFR if African American	Your Value >60 mL/min/1.73 "square meters"	<i>Standard Range</i> >=60 mL/min/1.73 "square meters"
<p>The eGFR is estimated by the IDMS -traceable CKD-EPI equation for ages 18-97 years. Not validated in pregnancy, acute illness, or for people with unique diets or abnormal muscle mass.</p>		
BUN/Creatinine Ratio	Your Value 10.9	
Calcium Serum/Plasma	Your Value 8.7 mg/dL	<i>Standard Range</i> 8.4 - 10.2 mg/dL

Component	Your Value	Standard Range
Protein Total Serum/Plasma	Your Value 7.6 g/dL	<i>Standard Range 6.3 - 8.2 g/dL</i>
Albumin	Your Value 4.2 g/dL	<i>Standard Range 3.5 - 5.0 g/dL</i>
Bilirubin Total	Your Value 0.9 mg/dL	<i>Standard Range 0.2 - 1.3 mg/dL</i>
Alkaline Phosphatase Total	Your Value 55 U/L	<i>Standard Range 38 - 126 U/L</i>
Aspartate Aminotransferase	Your Value 49 U/L	<i>Standard Range 16 - 63 U/L</i>
Total Globulin	Your Value 3.4 g/dL	<i>Standard Range 2.3 - 3.9 g/dL</i>
A/G Ratio	Your Value 1.2 Ratio	<i>Standard Range Ratio</i>
Alanine Aminotransferase	Your Value 89 U/L	<i>Standard Range <50 U/L</i>

New method and reference range as of 3/14/2019.

General Information

Collected
05/06/2019 9:36 AM

Resulted

05/06/2019 11:05 AM

Ordered By

LBCLN ONLY-ZZ LAB

This test result has been released by an automatic process.

MyChart® licensed from Epic Systems Corporation © 1999 - 2018